

Notice on Anti-Novel Coronavirus (COVID-19) Measures

Museum and Archives,
Kyoto Institute of Technology

Museum and Archives has been gaining up-to-date information regarding the coronavirus disease (COVID-19) from relevant organizations and will take necessary measures to prevent the spread of the novel coronavirus. We ask for your understanding regarding inconveniences and cooperation during this time.

◆Requests to visitors

◇Please refrain from visiting the museum if you:

- have symptoms such as fever, cough or sneezing.
- are in poor physical condition.
- have closely contacted with a person who is infected or suspected of being infected of COVID-19 within the last two weeks.
- have been to a country where the infection of COVID-19 is spreading within the last two weeks.

◇Please ensure to bring and wear a mask. If you do not wear a mask, please refrain from entering the museum.

◇Your temperature will be measured at the entrance. If you are confirmed to have a fever of 37.5 degrees Celsius or higher, you will be refused admission.

◇Please refrain from visiting with a large group of people. We may ask you to wait for entry when crowded.

◇Please cooperate with alcohol-based sanitization at the entrance.

◇Please fill in the visitor contact form upon arrival.

◇We ask visitors to utilize the Kyoto Prefecture Coronavirus Emergency Contact App (KOKOTORO) (<http://www.pref.kyoto.jp/kikikanri/coronakinkyurenaku.html>) and Kyoto City Notification Service of COVID-19 Positive Cases (<https://www.city.kyoto.lg.jp/hokenfukushi/page/0000270672.html>).

◇Giving and receiving of the fee, tickets and handouts will be done using a tray or on the desk.

◇Please keep an appropriate distance (at least 2m) between other visitors and refrain from talking.

◇Please refrain from touching the exhibits, display cases, equipment and walls.

◆Our measures to prevent the spreading of the coronavirus disease (COVID-19)

- ◇Our staff members will wear masks, take body temperature checks and use alcohol-based hand sanitizer for hand disinfection.
- ◇A plastic shield is placed at the reception desk.
- ◇The museum entrance and a part of windows in exhibition rooms are open at all times to ventilate.
- ◇Spots accessed by numerous visitors including door handles and elevator buttons are regularly sterilized and cleaned.

◆**Future exhibitions and events**

Depending on the future circumstances, we may have to change the opening schedule of the museum. In that case, we will notify on our website.